




- Plug & Work
- Easy and intuitive operation
- Compact design
- Versatility



XT CARTESIAN 2

XT CARTESIAN 2

XT Cartesian 2 can be mounted with one or more applicators for the application of adhesive tape even on non-uniform surfaces. The applicator moves on 2 orthogonal axes consisting of linear actuators with toothed belt transmission that guarantees precision and high speed.




The system can also be configured for simple integration into existing systems. XT Cartesian 2 offers application speeds up to 120m/min. and applies adhesive tape without air pockets. XT Cartesian 2 complies with Industry 4.0 and can be controlled via company MES. specific dimensions.

XT Cartesian 2 can be configured or built to customer-specific dimensions.

XT CARTESIAN 2 **APPLICATORS**



XT Cartesian 2 can be mounted with different applicator types, for example from 30mm up to 200mm and single and double-sided adhesive tapes depending on the type of processing required, even the most complex. The 2-axis system can be integrated into existing systems.




POSSIBLE APPLICATION TEMPLATES

XT Cartesian 2 offers a linear application station for single and double-sided adhesive tape suitable for integration into a production process. Xt Cartesian 2 is used in a variety of areas including the automotive,


naval and electronic sectors for applications on substrates ranging from the simplest to the most complex.




APPLICABLE TAPES




Double-sided foam
tapes




TNT/PET/PPL
thin double-sided
adhesive tapes



Spoiled
tapes




Single-sided
adhesive tapes




Masking
tapes

GALLERY



GALLERY



Tape Application Made Easy



**EKO-TECH Spółka z ograniczoną
odpowiedzialnością spółka komandytowa**

ul. Fabryczna 1B, 42-660 Kalety

tel: 34 3578 624

fax: 34 3527 595

e-mail: info@eko-tech.biz

www.eko-tech.biz | www.converting-tasm.pl