

## Better Pack 555eMA



### **BP 555eMA**

Electric water-activated  
tape dispenser

The **BP 555eMA** is an electric water-activated tape dispenser (also known as a paper tape dispenser, gummed tape dispenser, or water-activated gummed tape dispenser) designed for fast-paced shipping and packaging environments.

The **BP 555eMA** tape dispenser is calibrated in centimeters, has a voltage of 220 V, and uses water-activated tape with the gummed side facing out.

The letter "A" stands for automatic tape feed, which means that when a piece of tape is removed from the dispenser, the next piece automatically feeds out. The 555eMA dispenser offers the highest level of automation available in the dispenser family. The microprocessor control system can be connected to computers, printers, shipping systems, and foot pedals for the ultimate carton sealing solution.

**BP 555e Series:** This dispenser is part of a series of dispensers configured for worldwide use.

# BP 555eMA

## Applications

- Fast-growing companies that ship large quantities of goods
- Pack and seal more than 100 cartons per day/8-hour shift
- Require 220V machines with keyboards set in centimeters and water-activated gummed tape
- Must use the automatic tape feed feature to achieve the highest level of productivity
- Can be connected to a computer for increased productivity and control

## Unique safety features

- Thermal cut-off: prevents motor overheating after intensive use
- Safety lock switch: disables the cutting blade when the front cover is open
- Material selection: flame-retardant plastic, steel side frames, high-quality electromagnetic cell, and galvanized steel parts.

## Features and benefits of the BP 555eMA



### Reliability

Up to 15 years (on average)  
of reliable operation



### Automation

The automatic tape feed function ensures  
the highest level of tape dispenser  
automation



### Performance

Tape performance  
of 114.3 cm per second



### Productivity

30.5 cm tape roll capacity  
means fewer tape changes  
and less downtime



### Cost-effectiveness

Only one strip of water-activated  
tape needed for secure,  
reliable sealing



### Certification

UL approved. Also CE  
and CSA certified  
and RoHs compliant

## Accessories

### CODE TAPER

Code Taper prints single-color messages directly onto water-activated tape as it is dispensed.

**Applications:**

Printing logos, dates, and codes on demand. Requires custom rolls and ink.

### Tape Aerial

Tape Aerial is attached to the front of the Better Pack 555eMA to help deliver tape in an upright position for easy handling and placement. Simplifies and speeds up the packaging process when dispensing long lengths of tape.

**Applications:**

Ideal for sealing large cartons when long lengths of tape are required. Average 36 inches or more.

### Technical Specifications

|                                   |                                                                     |
|-----------------------------------|---------------------------------------------------------------------|
| Maximum tape roll diameter:       | 10.2 inches                                                         |
| Maximum tape roll length:         | 12 inches                                                           |
| Shipping weight:                  | 14,5 kg                                                             |
| Dimensions:                       | 50.8 cm L x 31.8 cm W x 30.5 cm H                                   |
| Dispensing tape length:           | 15 cm – 114,36 cm                                                   |
| Tape dispensing speed:            | 114.3 per second                                                    |
| Tape width:                       | 3,8 cm – 7,6 cm                                                     |
| Tape type:                        | Reinforced and non-reinforced water-activated tape, gummed side out |
| Water bottle capacity:            | 1,9 liters                                                          |
| Blades:                           | Guillotine knives                                                   |
| Water brushes:                    | 3                                                                   |
| Electrical requirements:          | 220V                                                                |
| Compliance with safety standards: | UL Listed. CE and CSA certified and RoHS compliant.                 |
| Warranty:                         | 2 years on parts, 6 months on labor                                 |
| Accessories:                      | Code cone, tape antenna                                             |
| Unit of measurement:              | Centimeters                                                         |